



Name	: IPS SCHOOL GANGA NAGAR	Age	: 1 Day
Lab No.	: 504189424	Gender	: Unknown
Ref By	: Self	Reported	: 29/3/2026 10:57:26AM
Collected	: 27/03/2026 1:02:00PM	Report Status	: Final
A/c Status	: P		
Collected at	: DIVIDER ROAD GANGANAGAR FPSC HP-33 DIVIDER ROAD OPP-BIJLI GHAR GANGA NAGAR, Ph. 8077914392 MEERUT	Processed at	: LPL-MEERUT LAB 1st Floor, Hall No. 101, 1st Floor of Shree Ram Commercial Complex, Shradhdhapuri, Phase 2, NH-58, Meerut, UP - 250001

## Test Report

### CULTURE AEROBIC, MISCELLANEOUS

Type of Specimen : WATER

**Final Result :-** No Aerobic pyogenic organism grown

Dr. Sonal Jindal  
MD, Microbiology  
Consultant Microbiologist  
Dr Lal PathLabs Ltd

End of report



Authenticity assured - scan the QR code to access the original report from our verified database

#### IMPORTANT INSTRUCTIONS

\*Test results released pertain to the specimen submitted.\*All test results are dependent on the quality of the sample received by the Laboratory.  
\*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.\*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.\*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.\*Test results may show interlaboratory variations.\*The Courts/Forum of Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).\*Test results are not valid for medico legal purposes.\*This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

*Rubana*  
29/03/26  
Principal  
International Public School  
Ganga Nagar, Distt. Meerut (U.P)





# INTERNATIONAL PUBLIC SCHOOL

(Affiliated to CBSE, New Delhi, Code No. 2130383)

Phase-I, Pocket-C, Ganga Nagar, Mawana Road, Meerut, Ph.: 0121-2621650, 2648983, E-mail : ipsmeerutganganagar@gmail.com  
Web.: www.ipsmeerut.org.in

11-1100/202-04-2026

क्यालय नगर आयुक्त अधिकारी  
नगर निगम मेरठ

## अनापत्ति प्रमाण पत्र के लिए अर्चना पत्र

महोदय

यह विद्यालय आपको अर्चना करता है कि इंटरनेशनल पब्लिक स्कूल, गंगानगर, मवाना रोड मेरठ शाका-शाकाहारी एवं स्वास्थ्य का, नगर निगम के नियमों / उपनियमों के अनुसार शुचिकर रूप से पालन करता है। अतः आपसे अनुरोध है कि इस विद्यालय को अनापत्ति प्रमाण पत्र जारी करने का कष्ट करें।

धन्यवाद

Rubana  
02/04/26

Principal

International Public School  
Ganga Nagar, Distt. Meerut (U.P)

(श्री मती शर्मा लुवाणा)  
प्रधाना-पाठक



15.05.26





# कार्यालय नगर निगम, मेरठ



पत्रांक-1432 / प्र0न0स्वा0अधि0-न0नि0मे0 / 2024

दिनांक-11/03/24

## अनापत्ति प्रमाण-पत्र

प्रधानाचार्य,  
इन्टरनेशनल पब्लिक स्कूल  
गंगा नगर मेरठ ।

आपके द्वारा वित्तीय वर्ष 2024-25 के लिये अनापत्ति प्रमाण-पत्र निर्गत करने हेतु अनुरोध किया गया है।

उक्त के सम्बन्ध में श्री अमान शाहिद, जोनल सेनेट्री अधिकारी द्वारा निरीक्षण किया गया, निरीक्षण दौरान पाया गया कि:-

- 1- स्कूल में सभी कक्षरूम स्वच्छ एवं हवादार है।
- 2- स्कूल में स्वच्छ पीने के पानी की उचित व्यवस्था पायी गयी। जल परीक्षण रिपोर्ट (संलग्न) के आधार पर डॉ. लाल पैथ लैब्स, सदर एफपीएससी, लैब नंबर- 461036043 दिनांक 26.02.2024 (शाम 4.59.51 बजे) ने प्रमाणित किया कि इन्टरनेशनल पब्लिक स्कूल, गंगा नगर, मेरठ में छात्रों और स्टाफ के सदस्यों के लिए सुरक्षित पेयजल की सुविधा है।
- 3- स्कूल में यूरिनल व शौचालय साफ- सुथरे एवं पर्याप्त व्यवस्था में पाये गये तथा इनकी सफाई हेतु कर्मचारी उपस्थित पाये गये।
- 4- स्कूल प्रांगण एवं आस- पास में सफाई व्यवस्था संतोषजनक पायी गयी।

अतः उक्त के सम्बन्ध में इन्टरनेशनल पब्लिक स्कूल, गंगा नगर मेरठ को अनापत्ति प्रमाण- पत्र इस शर्त के अनुसार निर्गत किया जाता है कि स्कूल में उक्त सभी व्यवस्थाएँ भविष्य में भी बनाये रखेंगे। नियमों का अनुपालन न करने की स्थिति में अनापत्ति प्रमाण-पत्र निरस्त कर दिया जायेगा। यह अनापत्ति प्रमाण पत्र वित्तीय वर्ष 2024-25 के लिये मान्य है। स्वास्थ्य एवं जलवायु की दृष्टि से कोई आपत्ति नहीं है।

11/03/2024  
प्रभारी नगर स्वास्थ्य अधिकारी  
नगर निगम मेरठ

प्रतिलिपि:- नगर आयुक्त महोदय की सेवा में सादर अवलोकनार्थ प्रेषित

प्रभारी नगर स्वास्थ्य अधिकारी  
नगर निगम मेरठ।